

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE April 1999	3. REPORT TYPE AND DATES COVERED	
4. TITLE AND SUBTITLE The First DEUCEs Are "On The Ground"			5. FUNDING NUMBERS	
6. AUTHOR(S) Jeffrey L. Klein Mechanical Engineer				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) USA TARDEC AMSTA-TR-E-ELE/21 Warren, MI 48397-5000			8. PERFORMING ORGANIZATION REPORT NUMBER  13765	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release: Distribution is unlimited			12b. DISTRIBUTION CODE  A	
13. ABSTRACT (Maximum 200 Words)  The first two Deployable Universal Combat Earthmovers (DEUCE) were delivered to USAES in January 1999. DEUCE provides the Army with an unprecedented combination of self-deploy and earthmoving capabilities. It is rubber-tracked, capable of speeds up to 30 mph, and has the dozing capability of the D5 dozer currently fielded. It is equipped with an enclosed climate controlled cab that allows optimal performance from a less-fatigued operator. DEUCE will begin fielding to light infantry and combat engineers in May 1999, and will continue through 2002.				
14. SUBJECT TERMS DEUCE, earthmover, dozer, rubber track, D5, deployable			15. NUMBER OF PAGES 2	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT unlimited	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)  
Prescribed by ANSI Std. Z39-18  
298-102

PLEASE CHECK THE APPROPRIATE BLOCK BELOW:

AO# \_\_\_\_\_



\_\_\_\_\_ copies are being forwarded. Indicate whether Statement A. B. C. D. E, F. or X applies.



DISTRIBUTION STATEMENT A:

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED



DISTRIBUTION STATEMENT B:

DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES ONLY; (Indicate Reason and Date). OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO (Indicate Controlling DoD Office).



DISTRIBUTION STATEMENT C:

DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES AND THEIR CONTRACTORS; (Indicate Reason and Date). OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO (Indicate Controlling DoD Office).



DISTRIBUTION STATEMENT D:

DISTRIBUTION AUTHORIZED TO DoD AND U.S. DoD CONTRACTORS ONLY; (Indicate Reason and Date). OTHER REQUESTS SHALL BE REFERRED TO (Indicate Controlling DoD Office).



DISTRIBUTION STATEMENT E:

DISTRIBUTION AUTHORIZED TO DoD COMPONENTS ONLY; (Indicate Reason and Date). OTHER REQUESTS SHALL BE REFERRED TO (Indicate Controlling DoD Office).



DISTRIBUTION STATEMENT F:

FURTHER DISSEMINATION ONLY AS DIRECTED BY (Indicate Controlling DoD Office and Date) or HIGHER DoD AUTHORITY.



DISTRIBUTION STATEMENT X:

DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES AND PRIVATE INDIVIDUALS OR ENTERPRISES ELIGIBLE TO OBTAIN EXPORT-CONTROLLED TECHNICAL DATA IN ACCORDANCE WITH DoD DIRECTIVE 5230.25! WITHHOLDING OF UNCLASSIFIED TECHNICAL DATA FROM PUBLIC DISCLOSURE. 6 Nov 1984 (indicate date of determination). CONTROLLING DoD OFFICE IS (Indicate Controlling DoD Office).



This document was previously forwarded to DTIC on \_\_\_\_\_ (date) and the AD number is \_\_\_\_\_



[In accordance with provisions of DoD instructions, the document requested is not supplied because:



It will be published at a later date. (Enter approximate date, if known).



Other. (Give Reason)

DoD Directive 5230.24, "Distribution Statements on Technical Documents," 18 Mar 87, contains seven distribution statements, as described briefly above. Technical Documents must be assigned distribution statements.


JEFFREY L. KLEIN

Print or Type Name

(810) 574-6698

Telephone Number

 5/4/99  
Authorized Signature/Date



# The First DEUCEs are "On the Ground"

*By Jeffrey Klein*

**O**n 29 January 1999, the U.S. Army Engineer School received the first two production deployable universal combat earthmovers (DEUCEs). This highly anticipated earthmover, which will soon be in the Army construction equipment inventory, will provide light infantry and airborne combat engineers with an unprecedented self-deploy capability. The Engineer School's two DEUCEs

will supplement the school's training mission by providing advanced technologies and will help define future mission doctrine.

In addition to receiving the equipment, Engineer School instructors, maintainers, and operators received instructor and key personnel training. These critical personnel will train future Army soldiers in the correct operation and maintenance of the

tractors. They are at the top of a teaching pyramid that will rapidly multiply the number of properly trained engineer soldiers.

## Description

**T**he DEUCE is the result of an ongoing partnership between the Tank-Automotive and Armaments Command (TACOM), in Warren, Michigan, and the contractor, Caterpillar Inc., Defense and Federal Products Department. A contract awarded to Caterpillar in 1995 is managed by TACOM's project manager for Tank-Automotive Weapon Systems (PM TAWS) and the product manager for Construction Equipment/Material Handling Equipment (PM CE/MHE). Representatives from both TACOM and Caterpillar attended the DEUCE hand-off at Fort Leonard Wood.

The DEUCE's engine, transmission, and suspension configuration combine to allow it to travel in the self-deploy mode at speeds up to 30 mph. It has an automatic 6-speed transmission and a fully suspended undercarriage. The rubber track is lighter and less damaging to road surfaces than a traditional



In the earthmoving mode, the DEUCE's blade can be tilted in six different positions with a joystick.

**DTIC QUALITY INSPECTED 4**


steel-track design. This configuration allows for a safe and comfortable ride and eliminates the need for additional hauling assets between job sites.

The flip of a switch engages the earthmoving mode. The DEUCE operates with a standard power-shift transmission, a locked-out suspension for a rigid dozing platform, and a dozing capability comparable to the D5 dozer currently authorized to some 18th Airborne engineer units. The DEUCE is designed for driving on and off C-130, C-141, C-5, and C-17 aircraft and is undergoing certification testing for C-130 airdrops.

The DEUCE will be used primarily to prepare airstrips, roads, and protective positions. To increase its effectiveness, the operator may communicate from within the DEUCE with the single-channel, ground-to-air radio system (SINCGARS) and precise light-weight GPS (global positioning system) receivers (PLGR). The DEUCE uses a six-way hydraulic power-angle-tilt blade and a rear-mounted 22,000-pound hydraulic winch. The Caterpillar 3126 Hydraulic Electronic Unit Injector engine has dual power settings, which produce 185 hp in the earthmoving mode and 265 hp in the self-deploy mode. The DEUCE is equipped with an enclosed, climate-controlled cab that allows optimal performance from a less-fatigued operator. The engine, as well as 75 percent of about 3,000 serviceable DEUCE components, has proven its durability through Caterpillar's extensive commercial experience.

### Testing

**I**nitial testing indicated that the undercarriage design, although adequate for commercial applications, was not sufficient for rigorous military operations. After consulting with all appropriate commands, including U.S. Army Forces Command and the Engineer School, the PM CE/MHE initiated a nine-month testing and



**In the self-deploy mode, the DEUCE can travel up to 30 mph on asphalt roads without causing damage.**

redesign period with the goal of improving the future readiness of the machines. The result is a much improved undercarriage design.

According to the assistant product manager for the DEUCE, the rubber track technology has been proven over the years on Caterpillar's Challenger series of agricultural tractor. The entire undercarriage, including the steel-reinforced solid rubber track, has undergone extensive testing across the country. Testing conditions included knee-deep mud and clay at Aberdeen Proving Grounds; frozen soil (sand, gravel, and clay) at Caterpillar's Minneapolis facility; desert rock and sand at Caterpillar's Arizona Proving Grounds; and a Midwest mix of clay, sand, gravel, and mud at Caterpillar's proving grounds in Peoria, Illinois. All of this data was incorporated in the final undercarriage design that soldiers will receive. Sharp volcanic rock in Hawaii and Fort Lewis, Washington, will undoubtedly increase the grouser wear rate, similar to the experiences of rubber-tired vehicles, but the transportability advantages of this type of track are necessary to meet the quick-strike capabilities of light and airborne engineers.

### Fielding

**B**efore delivering these machines, unit personnel will receive three days of operator training and five days of maintenance training. The

advanced design of the operator's compartment, along with the ergonomically designed operator controls, allow for these minimal operator-training requirements. For example, the automotive-type steering wheel, accelerator pedal, and brake pedal typically are not associated with tracked construction equipment.

The 10th Mountain Division (Light) at Fort Drum, New York, is scheduled to receive the first DEUCE in May 1999. The 82nd Airborne Division at Fort Bragg, North Carolina, will be outfitted with the DEUCE in June, followed by the 20th Engineer Brigade at Fort Bragg. Fielding the acquisition objective of 160 DEUCEs will continue through 2002.

The coming months will be busy as product managers from both TACOM and Caterpillar's Defense and Federal Products Department prepare for the initial fieldings. At that time, TACOM and all of the DEUCE team members will have achieved their goal of fielding a capable, reliable, and supportable piece of equipment to the soldiers of the 21st century.

*Mr. Klein is the DEUCE project engineer and works on the Construction Equipment Team at TARDEC. He holds a bachelor's degree in mechanical engineering from Virginia Tech and a master's degree in mechanical engineering from Catholic University, Washington, D.C.*